

Wajig

By Carl Fitch

St Louis UNIX Users Group

November 12, 2008

deb-what?

- Apt-get
- apt-search
- apt-cache
- apt-cdrom
- dpkg
- dselect
- sources.list
- apt.conf
- apt-config
- dpkg-deb
- dpkg-query
- deb
- deb-control
- dpkg.cfg
- dpkg-reconfigure
- dselect
- aptitude
- apt-secure

Named For?

WAJIG

- `wa' - Japanese, indicating `harmony' and `team spirit and unity.'
- `jig' - It is a small machine or handy tool used to guide other tools

Usos Inglés

(Uses English)

uses easy to understand parameters

common actions have several names

Easy to Invoke

Umm... type wajig

want harder? ... wajig {action}

Documentation Available

~/ \$ wajig help

help

LIST-COMMANDS, -v help, commands

doc, -vv help

Command Line Aids

Command History (current session)

CaSe inSensiTive

Dashful or dashless

Tab Completion

JIG> list <tab>

list	list-cache	list-files	list-log	list-scripts	list-status
list-all	list-commands	list-hold	list-names	list-section	list-wide
list-alts	list-daemons	list-installed	list-orphans	list-sections	

Auto's

auto-clean

auto-download

auto-install

auto-remove

auto-alts

RPM's & Conversion

rpm2deb

rpminstall

rpmtodeb

Export Package

Package
Repackage

Source

build

build-depend

I don't have {command}!

whichpkg
search
find-file
Locate
find-pkg

Package Installs

Install	Fix-missing
Installr, (recommended)	reinstall
Installs, (suggested)	force
installrs (recommended & suggested)	hold
install/dist	unhold
fix-configure	local-upgrade
fix-install	local-dist-upgrade

Maintenance

Clean

find-pkg

upgrade

hold

update

init

daily-upgrade

last-update

dist-upgrade

new

download

new-upgrades

file-download

orphans

file-install

file-remove

list

list

list-log

list-all

List-orphans

list-alts

toupgrade

list-cache

list-scripts

list-commands

list-section

list-daemons

list-sections

list-files

list-status

list-hold

list-wide

List-installed *

Remove Package

- Purge
- auto-remove
- file-remove
- list-log
- remove
- remove-depend
- remove-orphans
- showremove

Su / Sudo

Usable by any user
Will invoke su / sudo when needed

Daemons

- ~~/etc/init.d/daemon whatever~~
- list-daemons
- reload
- restart
- start
- stop

Checks

Integrity

verify

Bug

changelog

Dupe

```
wajig listfiles > {filename}  
wajig fileinstall {filename}
```

gjid

?... run and see

Credits

http://www.togaware.com/linux/survivor/Wajig_Overview.html

<http://wiki.xtronics.com/index.php/Wajig>